



STORM WATER MANAGEMENT PLAN

**BLOCK PLAN
SCALE 1:200**

REVISION		
NO	DATE	DESCRIPTION

- NOTES**
- This drawing is protected under the copyright act and cannot be used or reproduced in part or whole without written consent. from Brosban consultants
 - Read only figured dimensions.
 - All construction work is to comply with the latest B.S standard codes of practice, Local Authority By-Laws and Fire regulations.
 - P.V denotes permanent ventilation and must be provided above all doors and windows where indicated or shown.
 - All walls less than 200mm thick to be reinforced with hoop iron at every alternate course.
 - Water Meter to be 300mm above G.L.
 - D.p.c denotes one layer of bituminous felt to be provided under all walls atleast 150mm above ground level.
 - All reinforced concrete works to structural engineers details and specifications.
 - Provide one row of 600 x 600 x 50mm th. pre-cast or insitu concrete paving slabs around the building as splash apron unless otherwise stated.
 - Contractors must verify all dimensions and levels on site before commencement of works. Any discrepancies must be reported to the Architect before work is put in hand.
 - All levels shown are finished levels unless otherwise stated.
 - All surface beds to be cast on well compacted and well consolidated murrum or sand infill where apically stated.
 - Depth of foundation trenches to be at a min. of 750mm below reduced ground level.
 - All pipes and services to be at a min. of 450mm below reduced ground level.

Arc-mark
 Architects, Planners & Engineers
 p.o.box 28012 Kampala
 Plot 7, Mkt Street, Nakasero, 1 Flr Suit 3
 TB:0773211132

Project	AS-BUILT COMMERTIAL DEVELOPMENT AND PROPOSED SUPERMARKET TO BE BUILT ON PLOT 472, BLOCK 196 AT KOMAMBOGA KYADONDO COUNTY KAWEMPE DIVISION KAMPALA CAPITAL CITY AUTHORITY	
Client	MARY JOSSY NAKAWDHA OKWAKOL P.O BOX 7062 KLA	
Drawing title	BLOCK PLAN	
job No	5	Owners signature
drawing No	ARC/06/01/020/5	Designer SANDRA
Scale	1:100 OR AS SHOWN	
Drawn	w	Checked N E